



BMW AUTHORIZATION FORM-III(Rule 10)

M.P. Pollution Control Board

E-5, Arera Colony

Paryavaran Parisar, Bhopal - 16 MP

Tele :0755-2466191, Fax-0755-2463742

**Peoples Medical College & Research Centre, bhopal
(362286)**

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

Authorization for operating a facility for **Collection,Disposal,Generation,Handling Any Other Manner,Reception,Storage,Transportation,Treatment** of biomedical wastes.

BMW AUTH NO :BMW-310189, VALID UPTO : 19/04/2020

PCB Id : 115369

BMW Id : 362286

Application Inward No : 36402 , Date: 20/04/2017

CCA No: BAWH-47918 (19/04/2020)

File No : cbwtf-10,

**No of Beds : 1,750, Investment(in lakh) : 30.00, Act : B,A,W,H
No of H.W : 2, Water Consumption(klpd) : 1.50, Scale : S**

In exercise of power conferred by this Board and after scrutiny of above referred application, Superintendent / Incharge of **Peoples Medical College & Research Centre, bhopal at Karond, Bhanpur by pass Road, Bhopal, , Bhopal Tal : Berasia Dist : Bhopal** is here by granted an Authorisation to operate Health Care facility for **Collection,Disposal,Generation,Handling Any Other**

Manner,Reception,Storage,Transportation,Treatment of biomedical wastes on the premises of

M/S. People's College of Medical Science & Research Centre situated at

Bhopal, Dist : Under

CBWTF Reg. No : 159, Valid Upto :

1.The Authorisation is granted for **1,750** nos. of beds with generation of

Type of Waste Category (Kgs/Month)	YELLOW	WHITE (Translucent)	RED	BLUE
Qty permitted for Handling	4,500.00	100.00	300.00	600.00

category of biomedical wastes. **(Unit - Kgs/Month)**

2.This BMW Authorisation shall be in force **for a period of (3 year, Valid Upto 19/04/2020)**

This CCA Authorisation shall be in force **for a period of 3 year[up to 19/04/2020]**

3.This Authorisation is subject to the conditions stated in the Annexure-I attached here with and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act 1986.

4. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.

5. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.



BMW AUTHORIZATION FORM-III(Rule 10)

**Peoples Medical College & Research Centre, bhopal
(362286)**

**M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele :0755-2466191, Fax-0755-2463742**

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

6. The person authorised shall not rent, lend, sell, transfer or otherwise transport the biomedical waste without obtaining prior permission of the prescribed authority.
7. Any unauthorised changes in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
8. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.



**CHD-636 , NULL , INDORE - 452010 , MADHYA
PRADESH 23/02/2018
(Organic Authentication on AADHAR from UIDAI Server)
TPAV # 1C84AIC4YT**

**For & On behalf of
M.P. Pollution Control Board**

A. A. Mishra, Member Secretary

**Remark: No enough buffer zone in between facility & habitation as per CPCB Guidelines.
Specific Condition :**

Encl.: Annexure-I

**Issued to , Sh. I.H. Siddiqui, Peoples Medical College & Research Centre, bhopal, Karond, Bhanpur
by pass Road, Bhopal, , Bhopal Tal :Berasia Dist :Bhopal (BMW Id: 362286)**

Copy to Regional Office - Bhopal/ H.O

With a request to carry out periodically monitoring of above said hospital/clinic and submit the visit report to this Office.



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

SMALL

RENEWAL

VALIDITY (A/W/H): 31/12/2019

CONSENT NO: ***

BMW ID: 362286

NO: /MPPCB/BPL

To,
The Occupier,
M/s. Peoples Medical College & Research Centre. (CBWTFI,
Karond, Bhanpur by pass Road, Bhopal,
City : Bhopal,
Tal : Berasia, Dist : Bhopal, (M.P.)

Subject: Grant of renewal of BMW Authorization under Bio-Medical Waste Management Rules, 2016, renewal of consent under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 & renewal of Hazardous Waste Authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Ref: Your Consent to Operate Application Receipt No. 36402 Dt. 20/04/2017 and last communication received on Dt. 12/01/2018

With reference to your above application for renewal for BMW Authorization and renewal of Air/Water consent & Hazardous Waste Authorization has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board has agreed to renewal of BMW Authorization and renewal of Air, Water consent and Hazardous Waste Authorization up to **31/12/2019**, subject to the fulfillment of the terms & conditions, enclosed with this letter and-

SUBJECT TO THE FOLLOWING CONDITIONS :-

- a. Location: Karond, Bhanpur by pass Road, Tehsil Distt. Bhopal, (M.P.)
b. The capital investment in lakhs: Rs. 30.000
c. Product & Production Capacity:

Activity	Product (Equipment)	Capacity (Equipment)
Common Bio-Medical Waste Treatment Facility.	Incinerator - 01 Nos Autoclave - 01 Nos. Shredder - 01 Nos.	50 Kg/hr. 350 Liter/cycle 25 Kg./hr.

Note:- For any change in above industry shall obtain fresh consent from the board.

The Validity of the consent is up to **31/12/2019** and has to be renewed before expiry of consent validity. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent/Authorization. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

Enclosures:-

- * Conditions under Water Act
- * Conditions under Air Act
- * Conditions under Hazardous Rules
- * General conditions



e-Signed On 23/02/2018
(Organic Authentication on AADHAR from UIDAI Server)
TPAV # 1C84AIC4YT

ACHYUT ANAND MISHRA
Member Secretary

Consent No:BAWH-47918, Validity:19/04/2020, Outward No:66290,23/02/2018, TPAV # 1C84AIC4YT



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent at out fall of the unit shall not exceed 0.200 KL/day, and the daily quantity of sewage at out fall of the unit shall not exceed 0.600 KL/day

2. Trade Effluent Treatment:-

The applicant shall provide comprehensive effluent treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	5.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD 3 Days 27°C	Not exceed	30 mg/l.
COD	Not exceed	250 mg/l.
Oil and grease	Not exceed	10 mg/l.

Bioassay	90 % survival of fish after 96 Hour in 100% effluent
----------	--

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

3. Sewage Treatment :- The applicant shall provide comprehensive sewage treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards as notified vide GSR No. **1265(E) Dt.**

13.10.2017:

pH	Between	6.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD 3 Days 27°C	Not exceed	30 mg/l.
COD	Not exceed	50 mg/l.
NH ₄ -N	Not exceed	5 mg/l
N-Total	Not exceed	10mg/L
Fecal Coliform	Not exceed	< 1000 (MPN/100 ml)
PO ₄ -P	Not exceed	2 mg/L

Note: Reuse/Recycling of treated effluent shall be encouraged and in cases where part of the treated effluent is reused and recycled involving possibility of human contact, standards as specified above shall apply.

Sr	Water Code (Qty in klpd - Kilo Ltr per Day)	WC : 0	WWG : 0	Water Source	Remark
1	Domestic Purpose	1.000	0.600	SIDC	
2	Others	0.500	0.200	SIDC	

4. The effluent shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of industry/unit premises.

5. Any change in production capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

6. All treatment/control facilities/systems installed or used by the applicant shall be regularly maintained in good working order and operate effectively/efficiently to achieve compliance of the terms and conditions of this consent

7. The specific effluent limitations and pollution control systems applicable to the discharge permitted herein are set forth as above conditions.

8. Compilation of Monitoring-

i. Samples and measurements taken to meet the monitoring requirements specified above shall be representative of the volume and nature of monitored discharge.

ii. Following promulgation of guidelines establishing test procedures for the analysis of pollutants, all sampling and analytical methods used to meet the monitoring requirements specified above shall conform to such guidelines unless otherwise specified sampling and analytical methods shall conform to the latest edition of the Indian Standard specifications and where it is not specified the guidelines as per standard methods for the examination of Water and Waste latest edition of the American Public Health Association, New York U.S.A. shall be used.

Consent No:BAWH-47918, Validity:19/04/2020, Outward No:66290,23/02/2018, TPAV # 1C84AIC4YT



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

iii. The applicant shall take samples and measurement to meet the monthly requirements specified above and report online through XGN the same to the Board.

9. Recording of Monitoring-

i. The applicant shall make and maintain online records of all information resulting from monitoring activities by this Consent.

ii. The applicant shall record for each measurement of samples taken pursuant to the requirements of this Consent as follows:

- (i) The date, exact place and time of sampling
- (ii) The dates on which analysis were performed
- (iii) Who performed the analysis?
- (iv) The analytical techniques or methods used and
- (v) The result of all required analysis

iii. If the applicant monitors any Pollutant more frequently as is by this Consent he shall include the results of such monitoring in the calculation and reporting of values required in the discharge monitoring reports which may be prescribed by the Board. Such increased frequency shall be indicated on the Discharge Monitoring Report Form.

iv. The applicant shall retain for a minimum of 3 years all records of monitoring activities including all records of Calibration and maintenance of instrumentation and original strip chart regarding continuous monitoring instrumentation. The period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the applicant or when requested by Central or State Board or the court.

10. Reporting of Monitoring Results:-

Monitoring Information required by this Consent shall be summarized and reported by submitting a Discharge Monitoring report on line to the Board.

11. Limitation of discharge of oil Hazardous Substance in harmful quantities:-

The applicant shall not discharge oil or other hazardous substances in quantities defined as harmful in relevant regulations into natural water course. Nothing in this Consent shall be deemed to preclude the institution of any legal action nor relive the applicant from any responsibilities, liabilities, or penalties to which the applicant is or may be subject to clauses.

12. Limitation of visible floating solids and foam:

During the period beginning date of issuance the applicant shall not discharge floating solids or visible foam.

13. Disposal of Collected Solid-

All hazardous waste/sludge shall be disposed of as per the Authorization issued under Hazardous & other waste (M&TM) Rules 2016. And/other Solids Sludges, dirt, silt or other pollutant separated from or resulting from treatment shall be disposed of in such a manner as to prevent any pollutant from such materials from entering any such water Any live fish, Shall fish or other animal collected or trapped as a result of intake water screening or treatment may be returned to eaters body habitat.

14. Provision for Electric Power Failure-

The applicant shall assure to the consent issuing authority that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities utilized by the applicant to maintain compliance with the terms and conditions of the Consent.

15. Prohibition of By pass system-

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent is prohibited except :

- i. where unavoidable to prevent loss of life or severe property damage, or
- ii. Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

16. Industry/Institute/mine management shall submit the information online through XGN in reference to compliance of consent conditions.

Additional Water condition:- (if any) :-



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-

1. The applicant shall provide comprehensive air pollution control system consisting of control equipments as per the proposal submitted to the Board with reference to generation of emission and same shall be operated & maintained continuously so as to achieve the level of pollutants to the following standards:-

Name of section	Capacity	Stack height(mtrs)	Fuel	Control equipment to be installed	P.M, SOX, NOX(mg/NM3)
D.G. Sets	200 kva	5	DIE	accoustic enclosure,	As per EP(A) Rules, 1986

1. The applicant shall provide comprehensive air pollution control system consisting of control equipments as per the proposal submitted to the Board with reference to generation of emission and same shall be operated & maintained continuously so as to achieve the level of pollutants to the following standards:-

1. The unit shall meet the following operating and emission standards;

A. Operating standards

1. Combustion efficiency (CE) shall be at least 99%.
2. The combustion efficiency is computed as follows :

C.E. %Co₂

CE % CO₂ + %CO

3. The temperature of the primary chamber shall be minimum of 800°C and the secondary chamber shall be minimum of 1050 + or – 50C.
4. The secondary chamber gas residence time shall be at least two seconds.

A. Emission Standards

S.No.	Parameter	Standards	
1	2	3	4
		Limiting concentration in mg NM ³ unless stated	Sampling duration in minutes unless stated
01	Particular mater	50	10 or 1 Nm ³ of sampling volume, whichever is more
02	Nitrogen Oxides and No ₂ expressed as NO ₂	400	30 for online sampling or grab sample
03	HCl	50	30 or Nm of sample volume, whichever is more
04	Total Dioxins and Furans	0.1 ng TEQ/NM ³ (at 11% O ₂)	8 hours or 5 Nm ³ of sample volume, which is more
05	Hg and its compounds	0.05	2 hours or 1 Nm ³ of sample volume, which is more

1. **Stack Height :** Minimum stack height shall be 30 meters above the ground and shall be attached with the necessary monitoring facilities as per requirement of monitoring of generation parameters as notified under the Environment (Protection) Act, 1986 and in accordance with the Central Pollution Control Board guidelines of emission regulation Part-II.

Consent No:BAWH-47918, Validity:19/04/2020, Outward No:66290,23/02/2018, TPAV # 1C84AIC4YT



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

2. The applicant shall observe the following fuel pattern:	
Name of Fuel	Quantity
Diesel	25 Lit/hr
Diesel	25 Lit/hr

2. Ambient air quality at the boundary of the industry/unit premises shall be monitored and reported to the Board regularly on quarterly basis: The Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/09. Some of the parameters are as follows:

- Particulate Matter (less than 10 micron) - $100 \mu\text{g}/\text{m}^3$ ($\text{PM}_{10} \mu\text{g}/\text{m}^3$ 24 hrs. basis)
- Particulate Matter (less than 2.5 micron) - $60 \mu\text{g}/\text{m}^3$ ($\text{PM}_{2.5} \mu\text{g}/\text{m}^3$ 24 hrs. basis)
- Sulphur Dioxide [SO_2] (24 hrs. Basis) - $80 \mu\text{g}/\text{m}^3$
- Nitrogen Oxides [NO_x] (24 hrs. Basis) - $80 \mu\text{g}/\text{m}^3$
- Carbon Monoxide [CO] (8 hrs. Basis) - $2000 \mu\text{g}/\text{m}^3$

3. The industry shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.

4. All other fugitive emission sources such as leakages, seepages, spillages etc shall be ensured to be plugged or sealed or made airtight to avoid the public nuisance.

5. The industry/ unit shall ensure all necessary arrangements for control of odour nuisance from the industrial activities or process within premises

6. All the internal roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements. Good housekeeping practices shall be adopted to avoid leakages, seepages, spillages etc.

7. Industry shall take effective steps for extensive tree plantation atleast in 03 rows of the local tree species with minimum spacing of 4X4 meter within or around the industry/unit premises for general improvement of environmental conditions and as stated in additional condition

Additional Air condition:- (if any) :-



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

CONDITIONS PERTAINING TO THE HAZARDOUS AND OTHER WASTES (MANAGEMENT AND TRANSBOUNDARY MOVEMENT) RULES, 2016:-

FORM-2 **[See rule 6 (2)]**

FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER AND OPERATORS OF DISPOSAL FACILITIES

1. The operator of facility, i.e. occupier Peoples Medical College & Research Centre, bhopal is hereby granted the authorization to operate a facility for collection, reception, treatment, storage, transport and dispose of Hazardous waste to be generated and disposed to the tune mentioned in table below on the premises situated at Karond, Bhanpur by pass Road, Bhopal, Bhopal, Berasia, Bhopal, Phone No. 7554005043

2. The authorization granted to operate a facility for generation, collection, reception, storage and transport of hazardous waste

Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity (ton/annum)
Used or Spent Oil (5.1)	To be sold to authorized recycler authorized with SPCB.	0.030-M.T
Ash from incinerator and flue gas cleaning residue (37.2)	M.P. Waste Management Project, Pithampur Dist. Dhar (M.P.)	2.000-M.T

3. The waste specified under hazardous waste stream as mentioned above shall be stored as per MoEF and CPCB guidelines issued time to time and disposed off as indicated in above table at SL. No. 3 as Hazardous and other Waste (Management & Transboundary movement) Rules, 2016.

4. The authorization shall be in force for a period valid up to **31.12.2019**.

5. The industry shall take all the steps wherever required, for reduction of the waste generated or for recycling or reuse.

6. The industry shall display the information on hazardous waste generated on notice board of size 6' x 4' (in Hindi & English) outside the unit main gate along with quantity and nature of hazardous chemicals being handled in the plant, including wastewater, air emission and hazardous wastes.

7. The authorisation is subject to the terms & conditions as given below and to such conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986. Violation of any of the conditions shall be liable for legal action as per provisions under Environment (Protection) Act, 1986.

Terms and Condition Of Authorisation

1. The authorisation shall comply with the provision of Environment (Protection) Act, 1986 and the rules made there under.

2. The authorisation or its renewal shall be produced during inspection on the request of the inspecting officer authorized by the State Pollution Control Board.

3. The authorized person shall not rent, lend, sale, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the State Pollution Control Board.

4. If the industry comes in such a category where insurance under Public Liability Insurance Act, is necessary, the industry shall comply with provision and submit a copy of the policy to the Board.

5. Any unauthorized change in production capacity, process, raw materials, personnel, equipments etc. as mentioned in the application by the person authorized shall constitute a breach of this authorisation.

6. The unit should maintain the records of hazardous wastes as per the Form-3 of rule 9 (1) and should online submit the annual return in Form No.4 as per the rule 9 (2) to this office on or before 31st January every year.

7. Details of auction/sale of non-ferrous hazardous waste should be submitted online in form no.13 to this office annually.

8. An on-site storage for waste for a maximum period of one year or a maximum quantity of 100 MT, whichever is less,

Consent No: BAWH-47918, Validity: 19/04/2020, Outward No: 66290, 23/02/2018, PPAV # 1C84AIC4YT



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

should be provided and it shall be ensured that there is no leakage or seepage or spillage from surrounding walls or bottom. The site should be covered and properly protected to prevent the entry of rainwater in storage area.

9. It is the duty of authorized person to take prior permission of the M.P. Pollution Control Board to close down the facility.

10. The information regarding quantity of hazardous wastes generated and its analysis report should be sent to the Board online quarterly.

11. Hazardous Waste Storage Site & Danger signboard shall be provided with all safety devices at the storage site.

12. The authorized person should inform the name and address of the contact person responsible for hazardous waste management.

13. In case of importing Hazardous Waste, occupier shall apply to the M.P. Pollution Control Board, 180 days in advance in Form-6, for permission to import of the waste as per Rule 13 (i) of Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 as amended up to date.

14. In the event of any accident due to handling of hazardous wastes, the authorized person must inform immediately to the Regional Office & Head office of the board on Fax/telephone/email-it_mppcb@rediffmail.com about the incident and detail report should be sent in Form No.5 as per rule -10 of Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 as amended up to date.

Additional Haz condition:- (if any) :-

Transport of hazardous wastes :-

(i) The occupier or operator of the Treatment, Storage and Disposal Facility or recycler shall ensure that the hazardous waste are packaged and labeled, based on the composition in a manner suitable for safe handling, storage and transport as per the guidelines issued by the Central Pollution Control Board vide - October 2004 & conditions issues from time to time.

(ii) The labeling and packaging shall be easily visible and be able to withstand physical conditions and climate factors.

(iii) The transport of the hazardous wastes shall be in accordance with the provision of these rules and the rules made by the Central Govt. under the Motor Vehicle Act 1988 and other guidelines issued from time to time in this regard.

(iv) In case of transportation of hazardous wastes through a State other than the State of origin or destination, the occupier shall intimate the concerned State Pollution Control Board before he hands over the hazardous wastes to the transporter.

(v) The occupier shall provide the transporter with six copies of the manifest as per the colour codes as per rule 20(1).

(vi) The occupier shall forward copy 1 (white) to the State Pollution Control Board and in case the hazardous wastes is likely to be transported through any transit State, the occupier shall prepare an additional copy each for intimation to such State and forward the same to the concerned SPCB before he hands over the hazardous wastes to the transporter.

(vii) No transporter shall accept hazardous wastes from an occupier for transport unless copies 3 to 7 of the manifest accompany it.

(viii) The transporter shall submit copies 3 to 7 of the manifest duly signed with date to the operator of the facility along with the waste consignment.



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

GENERAL CONDITIONS:

1. The non hazardous solid waste arresting in the industry/unit/unit premises sweeping, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permission from civic authorities for disposal to dumping site. If required.

Non Hazardous Solid wastes:-

Type of waste	Quantity	Disposal
Scrap/ Plastic packing material wood, card board, gunny bogs etc		Sale to authorized party/As Per CPCB. MoEF Guide lines / Others.

2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:

- To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.
- To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.
- To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
- To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
- To sample at reasonable times any discharge or pollutants.

3. This consent/authorisation is transferable, in case of change of ownership/management and addresses of new Owner/partner/Directors/proprietor should immediately apply for the same.

4. The issuance of this Consent does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.

5. This consent is granted in respect of Water pollution control Act 1974 or Air Pollution Control act, 1981 or Authorization under the provisions of Hazardous and other Waste (Management & Transboundary movement) Rules 2016 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.

6. Balance consent/authorisation fee, if any shall be recoverable by the Board even at a later date.

7. The applicant shall submit such information, forms and fees as required by the board not later than 180 day prior to the date of expiration of this consent/authorisation

8. Knowingly making any false statement for obtaining consent or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the section 42(g) of the Water Act or section 38 (g) of the Air Act.

9. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following :

- Violation of any terms and conditions of this Consent.
- Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
- A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.

10. On violation of any of the above-mentioned conditions the consent granted will automatically be taken as canceled and necessary action will be initiated against the industry.

Additional condition:- (Bio-Medical Waste Authorization) :-

The additional conditions shall be as follows :-

1. The renewal of this authorization is subject to the terms and conditions granted as per previous authorization .

2. The occupier of the facility shall maintain & developed CBWTF as per guidelines of Central Pollution Control Board 2016 for CBWTF. The operational conditions such as temperature, air feed rate, retention time etc and air pollution control arrangement of the incinerator shall be ensured as per Schedule-II of Bio Medical Waste Management Rules, 2016.



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

3. The authorized person shall ensure that the treated effluent shall confirm to the standards prescribed in Schedule - II of rules and submit report to Board quarter yearly basis. The occupier of the facility shall fully utilize the treated effluent within their premises for plantation purposes, etc.
4. A separate log book for the operation and maintenance of the incinerator, autoclave, shredder & ETP shall be kept and shall be made available for inspection any time. The occupier of CBWTF shall also carry out validation test of autoclave.
5. The occupier of C.B.W.T.F. shall carry out stack emission test of incinerator, incinerator ash test, validation test of autoclave and applicable parameters of effluent being discharged from the ETP in quarter yearly from the approved laboratory and submit the quarter yearly report to the Board.
6. The transportation vehicle for carrying the waste to the facility shall be specially designed as per Central Pollution Control Board (CPCB) guidelines for CBWTF. The vehicle shall also be properly labelled with the related symbols as per rules.
7. The collection and transportation of the BMW the C.B.W.T.F. shall be ensured in accordance with the Rule 7 & 8 of BMW Rules. Its treatment & disposal shall be as per Schedule-I of Rules 2016.
8. The authorized person shall maintain categories wise records of Bio-Medical Waste received, treated & disposed at CBWTF as per Schedule-I of the Bio-Medical Waste Management Rules, 2016 and should submit the annual return in Form-IV by 30th of June every year as per the rule 13 to the Head office and Regional office of the Board.
9. The authorized person shall store incineration ash safely and dispose it through TSDF, Pithampur, as per guidelines of CBCB.
10. The C.B.W.T.F. operator inform about such health care unit that are not handling and segregating Bio-Medical Waste properly and the same shall be communicated to the Board from time to time.
11. The C.B.W.T.F. operator establish bar coding and global positioning system for handling of bio-medical waste within 1 year from the date of notification of BMWM Rule, 2016.
12. The C.B.W.T.F. operator establish and ensure the operation/calibration of CEMS installed in facility and should be shown the connectivity with SPCB/CPCB server. And also install the web-cameras showing ETP, BMW storage area and Stack Emission conditions regarding.
13. The C.B.W.T.F. operator shall display of authorization, treatment, annual report etc. on its website.
14. The C.B.W.T.F. operator shall ensure collection of biomedical waste on holidays also.
15. The C.B.W.T.F. operator shall upgrade existing incinerator to achieve the standards for retention time secondary chamber and dioxin and flurance within 2 years from the date of notification of BMWM Rule, 2016.
16. The authorized person shall maintain good house keeping, regular cleaning of storage room & sharp pit etc. to avoid emitting of foul smell.
17. The institute shall submit a fresh application for next renewal of authorization with requisite fee before 90 days of expiry of this renewal of authorization with compliance report of conditions mentioned in original authorization letter and its subsequent renewal letter.
18. The authorized person of facility make above arrangements/improvement in facility as per given time frame falling which prosecution and punishment will be followed as per the provisions of Environmental (Protection) Act, 1986.
19. Mercury waste shall not be mixed with BMW, shall be collected, segregated & stored into separate containers and it shall be disposed off in accordance with provisions of the Hazardous and Other Waste (Management, and Transboundry Movement) Rules, 2016.
20. The authorized person of facility shall be responsible for any violation of provisions of Bio-Medical Waste Management Rules, 2016 and shall be liable for prosecution and punishment as per the provisions of Environmental (Protection) Act, 1986.



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

21. The prescribed authority may after giving reasonable opportunity of hearing refuse to grant authorization and reserve all the rights to amend/cancel/revoke the condition of this authorization in part or whole as and when deemed necessary.

Consent/authorization as required under the Water (Prevention & Control of Pollution) Act, 1974. The Air (Prevention & Control of Pollution) Act, 1981 and the Authorization under Hazardous and Other Wastes (Management & Transboundary Movement) Rule, 2016 is granted to your industry subject to fulfillment of all the conditions mentioned above. For renewal purpose you shall have to make an application to this Board through XGN at least Six months before the date of expiry of this consent/authorisation. The applicant without valid consent (for operation) of the Board shall not bring in to use any outlet for the discharge of effluent and gaseous emission.

For and on behalf of
M.P. Pollution Control Board

(Member Secretary)



e-Signed On 23/02/2018
(Organic Authentication on AADHAR from UIDAI Server)
TPAV # 1C84AIC4YT

ACHYUT ANAND MISHRA
Member Secretary

Consent No:BAWH-47918, Validity:19/04/2020, Outward No:66290,23/02/2018, TPAV # 1C84AIC4YT