

**BMW AUTHORIZATION FORM-III(Rule 10)**

M.P. Pollution Control Board
E - 5, Arera Colony
Bhopal 16 , Bhopal
Tele :

**People's General Hospital (Pvt) Ltd., (Hi-Tech
Division), Bhopal (361697)**

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

Authorization for operating a facility for **Generation,Storage** of biomedical wastes.

BMW AUTH NO :BMW-309337, VALID UPTO : 31/03/2020

**PCB Id : 112286
BMW Id : 361697**

Application Inward No : 36400 , Date: 22/04/2017

CCA No: BAWH-46295 (31/03/2020)

File No : 220, (Out No : 15299)

**No of Beds : 50, Investment(in lakh) : 231.00, Act : B,A,W,H
No of H.W : 5, Water Consumption(klpd) : 4.00, Scale : S**

In exercise of power conferred by this Board and after scrutiny of above referred application, Superintendent / Incharge of **People's General Hospital (Pvt) Ltd., (Hi-Tech Division), Bhopal at 06, Malviya Nagar, Bhopal,06, Malviya Nagar, Bhopal , Bhopal Tal : Hujur Dist : Bhopal** is here by granted an Authorisation to operate Health Care facility for **Generation,Storage** of biomedical wastes on the premises of **M/S. People's College of Medical Science & Research Centre** situated at **Bhopal, Dist : Under CBWTF Reg. No : 159, Valid Upto :**

1.The Authorisation is granted for **50** nos. of beds with generation of

Type of Waste Category (Kgs/Month)	YELLOW	WHITE (Translucent)	RED	BLUE
Qty permitted for Handling	100.00	10.00	50.00	30.00

category of biomedical wastes. **(Unit - Kgs/Month)**

2.This BMW Authorisation shall be in force **for a period of (3 year, Valid Upto 31/03/2020)**

This CCA Authorisation shall be in force **for a period of 3 year[up to 31/03/2020]**

3.This Authorisation is subject to the conditions stated in the Annexure-I attached here with and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act 1986.

4. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.

5. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.



BMW AUTHORIZATION FORM-III(Rule 10)

M.P. Pollution Control Board
E - 5, Arera Colony
Bhopal 16 , Bhopal
Tele :

**People's General Hospital (Pvt) Ltd., (Hi-Tech
Division), Bhopal (361697)**

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

6. The person authorised shall not rent, lend, sell, transfer or otherwise transport the biomedical waste without obtaining prior permission of the prescribed authority.
7. Any unauthorised changes in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
8. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.



**FLAT NUMBER-303 SHUBHAM APARTMENT , NULL ,
Signed On 28/06/2017
OFFICE OF PEOPLE'S GENERAL HOSPITAL , JABALPUR - 482001 ,
(Organic Authentication on AADHAR from UIDAI Server)
MADHYA PRADESH
TPAV # YCBYUP96Y7**

**For & On behalf of
M.P. Pollution Control Board**

R.O Head: Bhopal

Remark: may be granted

Specific Condition :TERMS & CONDITIONS OF AUTHORIZATION (Hospital)

1. The renewal of authorization shall comply with the provisions of the Environmental (Protection) Act, 1986 and the rules made there under regarding management of BMW.
2. An authorization or its renewal shall be produced for inspection at the request of any officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the Bio-Medical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the persons authorized shall constitute a breach of his authorization.
5. It is duty of authorized person to take prior permission of the prescribed authority to close down the facility.
6. The operator of facility shall submit a fresh application for renewal of authorization with requisite fees before 90 days of expiry of this authorization with compliance report of authorization conditions mentioned in original authorization letter and its subsequent renewal letters.
7. The amount of license and renewal fees for the authorization is payable (on-line) along with Form-II at the time of renewal. The Subsequent renewal for further period depends upon the fulfillment of conditions of authorization.
8. An applicant of HCF / Institution shall ensure compliances of various arrangements for proper Bio-Medical Waste Management with immediate effect as specified below :-
 - (a) Category wise segregation of Bio-Medical Waste as specified in Schedule-I of the rule.
 - (b) Provision of colour coded bins (for storage of BMW) as specified in Schedule-I.
 - (c) Provisions of Waste sharp destruction treatment/disposal arrangements.
 - (d) Safe transportation arrangement of wastes from various wards to treatment site.
 - (e) Installation of treatment and disposal system of BMW as specified in Schedule-I of Bio-Medical Waste Management Rules, 2016.
9. B.M.W. generation units or Hospital should take all steps to ensure that such waste is handled without



People's General Hospital (Pvt) Ltd., (Hi-Tech
Division), Bhopal (361697)

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

any adverse effect to human health and the environment. In case the institution is disposing off the Bio-Medical Waste through a 'common-facility', it will be responsibility of the institution to ensure its disposal as per provisions of BMW Rules.

10. B.M.W. shall be treated and disposed off in accordance with Schedule-I and with the standards prescribed in Schedule-II. For disposing of categorized BMW through deep burial and/or secured landfill, prior approval of the Board shall be obtained for such area of land.

11. B.M.W. shall not be mixed with other waste. B.M.W. shall be segregated into containers, bags at the point of generation in accordance with Schedule-I prior to its storage, transportation, treatment and disposal. The containers shall be labeled accordance to Schedule-IV.

12. If a container is transported from the premises where B.M.W. is generated to any waste treatment facility outside the premises the container shall, apart from the label prescribed in Schedule-IV, also carry information prescribed in Schedule-IV. Transportation of B.M.W. shall also follow the rules made under Motor Vehicles Act, 1988.

13. The authorization person shall ensure that the treated effluent shall confirm to the standards prescribed in Schedule-II of rules. The authorized person shall submit waste water monitoring report to the prescribed authority twice in a year. The occupier of the facility shall fully utilize the treated effluent within their premises for plantation purposes.

14. The occupier of facility shall make proper arrangement for safe disposal of sludge from Effluent Treatment Plant (ETP) after due disinfection.

15. No untreated B.M.W. shall be kept stored beyond a period of 48 hours. Provided that, if for any reason it becomes necessary to store the waste beyond such period, an authorized person must take permission of prescribed authority and take measure to ensure that the waste does not adversely affect to the environment.

16. Mercury waste shall not be mixed with BMW, shall be collected, segregated & stored into separate containers and it shall be disposed off in accordance with provisions of the Hazardous and Other Wastes (Management and Tran-boundary Movement) Rules, 2016.

17. Every occupier/operator shall submit an annual report to the prescribed authority in Form – IV by 30st June every year.

18. When any accident occurs at any institution or any other site where Bio-Medical waste is handled or during transportation of such waste, an authorized person shall report the accident information in Form-I to prescribed authority.

19. Every authorized person shall maintain record related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these rules. All record shall be subject to inspection and verification by the prescribed authority at any time.

20. The authorized person of facility make above arrangements/improvement in facility as per given time frame failing which prosecution and punishment will be followed as per the provisions of Environmental (Protection) Act, 1986.

The prescribed authority may after giving reasonable opportunity of hearing refuse to grant authorization and reserve all the rights to amend/cancel/revoke the condition of this authorization in part or whole as and when deemed necessary

Encl.: Annexure-I

Issued to , Shri. I.H.Siddiqui (Project Director), People's General Hospital (Pvt) Ltd., (Hi-Tech Division), Bhopal, 06, Malviya Nagar, Bhopal, 06, Malviya Nagar, Bhopal , Bhopal Tal :Hujur Dist :Bhopal (BMW Id: 361697)

Copy to Regional Office - Bhopal/ H.O



BMW AUTHORIZATION FORM-III(Rule 10)

M.P. Pollution Control Board

E - 5, Arera Colony

Bhopal 16 , Bhopal

Tele :

**People's General Hospital (Pvt) Ltd., (Hi-Tech
Division), Bhopal (361697)**

Under the Rule-10 of the Biomedical waste (Management and Handling) Rules, 2016 framed under the EPACT'86

With a request to carry out periodically monitoring of above said hospital/clinic and submit the visit report to this Office.



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

SMALL

RENEWAL

VALIDITY (A/W/H): 31/03/2020

CONSENT NO: ***

BMW ID:
361697

NO: /MPPCB/BPL

To,
The Occupier,
People's General Hospital (Pvt) Ltd., (Hi-Tech Division),
06, Malviya Nagar,
Bhopal,

Subject: Grant of Consent to Operate under section 25 of the Water (Prevention & Control of Pollution) Act,1974 under section 21 of the Air (Prevention & Control of Pollution) Act,1981 and Authorization under Hazardous and other Waste (Management & Transboundary movement) Rules, 2016

Ref: Your Consent to Operate Application Receipt No. 36400 Dt. 22/04/2017

With reference to your above application for consent to operate has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board has agreed to grant consent up to **31/03/2020** & authorization up to , subject to the fulfillment of the terms & conditions, enclosed with this letter and-

SUBJECT TO THE FOLLOWING CONDITIONS :-

- a. Location: 06, Malviya Nagar, Bhopal
- b. The capital investment in lakhs: Rs. 231.000
- c. Product & Production Capacity:

NAME OF PRODUCT : HOSPITAL ACTIVITY

PRODUCTION CAPACITY: 50 (FIFTY) BEDS

Note:- For any change in above industry shall obtain fresh consent from the board.

The Validity of the consent is up to **31/03/2020** and has to be renewed before expiry of consent validity. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent/Authorization. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

Enclosures:-

- * Conditions under Water Act
- * Conditions under Air Act
- * Conditions under Hazardous Rules
- * General conditions

AT N e Sign Seeding from UIDAI DEPARTMENT, NULL , OPP. ADITYA HOSPITAL , JABALPUR - 482001 , MADHYA PRADESH
Regionally Officer
e-Signed On 28/06/2017
(Organic Authentication on AADHAR from UIDAI Server)
TPAV # YCBYUP96Y7

Consent No:BAWH-46295,Validity:31/03/2020, Outward No:15299,28/06/2017, TPAV # YCBYUP96Y7



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent at out fall of the unit shall not exceed 0.300 KL/day, and the daily quantity of sewage at out fall of the unit shall not exceed 2.800 KL/day

2. Trade Effluent Treatment:-

The applicant shall provide comprehensive effluent treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	6.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD 3 Days 270C	Not exceed	30 mg/l.
COD	Not exceed	250 mg/l.
Oil and grease	Not exceed	10 mg/l.

TDS	Not exceed	2100 mg/l.
Chlorides	Not exceed	1000 mg/l.
Bio assaytest	90% survival of Fish after 96 hrs in 100% Effluent	

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

3. **Sewage Treatment :-** The applicant shall provide comprehensive sewage treatment system as per the proposal submitted to the Board and maintain the same properly to achieve following standards-

pH	Between	5.5 – 9.0
Suspended Solids	Not exceed	10 mg/l.
BOD 3 Days 270C	Not exceed	10 mg/l.
COD	Not exceed	250 mg/l.
Oil and grease	Not exceed	10 mg/l.

Sr	Water Code (Qty in klpd - Kilo Ltr per Day)	WC : 0	WWG : 0	Water Source	Remark
1	Domestic Purpose	3.500	2.800	Borewell	
2	Others	0.500	0.300	Borewell	

4. The effluent shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of industry/unit premises.

5. Water meter preferably electromagnetic/ultrasonic type with digital flow recording facilities shall be installed separately for category wise consumption of water as per Water (Prevention and Control of Pollution) Cess Act 1977 for Industrial cooling/boiler feed, mine spray, process & domestic purposes and data shall be submitted online through XGN monthly patrak/statements. The industry/unit shall also monitor the treated wastewater flow and report the same online through monthly patrak/statements.

6. Any change in production capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

7. All treatment/control facilities/systems installed or used by the applicant shall be regularly maintained in good working order and operate effectively/efficiently to achieve compliance of the terms and conditions of this consent

8. The specific effluent limitations and pollution control systems applicable to the discharge permitted herein are set forth as above conditions.

Consent No:BAWH-46295, Validity:31/03/2020, Outward No:15299,28/06/2017, TPAV # YCBYUP96Y7



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

9. Compilation of Monitoring-

- i. Samples and measurements taken to meet the monitoring requirements specified above shall be representative of the volume and nature of monitored discharge.
- ii. Following promulgation of guidelines establishing test procedures for the analysis of pollutants, all sampling and analytical methods used to meet the monitoring requirements specified above shall conform to such guidelines unless otherwise specified sampling and analytical methods shall conform to the latest edition of the Indian Standard specifications and where it is not specified the guidelines as per standard methods for the examination of Water and Waste latest edition of the American Public Health Association, New York U.S.A. shall be used.
- iii. The applicant shall take samples and measurement to meet the monthly requirements specified above and report online through XGN the same to the Board.

10. Recording of Monitoring-

- i. The applicant shall make and maintain online records of all information resulting from monitoring activities by this Consent.
- ii. The applicant shall record for each measurement of samples taken pursuant to the requirements of this Consent as follows:
 - (i) The date, exact place and time of sampling
 - (ii) The dates on which analysis were performed
 - (iii) Who performed the analysis?
 - (iv) The analytical techniques or methods used and
 - (v) The result of all required analysis
- iii. If the applicant monitors any Pollutant more frequently as is by this Consent he shall include the results of such monitoring in the calculation and reporting of values required in the discharge monitoring reports which may be prescribed by the Board. Such increased frequency shall be indicated on the Discharge Monitoring Report Form.
- iv. The applicant shall retain for a minimum of 3 years all records of monitoring activities including all records of Calibration and maintenance of instrumentation and original strip chart regarding continuous monitoring instrumentation. The period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the applicant or when requested by Central or State Board or the court.

11. Reporting of Monitoring Results:-

Monitoring Information required by this Consent shall be summarized and reported by submitting a Discharge Monitoring report on line to the Board.

12. Limitation of discharge of oil Hazardous Substance in harmful quantities:-

The applicant shall not discharge oil or other hazardous substances in quantities defined as harmful in relevant regulations into natural water course. Nothing in this Consent shall be deemed to preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities, or penalties to which the applicant is or may be subject to clauses.

13. Limitation of visible floating solids and foam:

During the period beginning date of issuance the applicant shall not discharge floating solids or visible foam.

14. Disposal of Collected Solid-

All hazardous waste/sludge shall be disposed of as per the Authorization issued under Hazd & other waste Rules 2016. And/other Solids Sludges, dirt, silt or other pollutant separated from or resulting from treatment shall be disposed of in such a manner as to prevent any pollutant from such materials from entering any such water Any live fish, Shall fish or other animal collected or trapped as a result of intake water screening or treatment may be returned to eaters body habitat.

15. Provision for Electric Power Failure-

The applicant shall assure to the consent issuing authority that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities utilized by the applicant to maintain compliance with the terms and conditions of the Consent.

16. Prohibition of By pass system-

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent is prohibited except :

Consent No:BAWH-46295, Validity:31/03/2020, Outward No:15299,28/06/2017, TPAV # YCBYUP96Y7



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

- i. where unavoidable to prevent loss of life or severe property damage, or
- ii. Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

17. Industry/Institute/mine management shall submit the information online through XGN in reference to compliance of consent conditions.

CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-

1. The applicant shall provide comprehensive air pollution control system consisting of control equipments as per the proposal submitted to the Board with reference to generation of emission and same shall be operated & maintained continuously so as to achieve the level of pollutants to the following standards:-
- 2.

Name of section	Capacity	Stack height(mtrs)	Fuel	Control equipment to be installed	P.M, SOX, NOX(mg/NM3)
D.G. Sets	126	5	DIE	accoustic enclosure,	150,100,50,

2. The applicant shall observe the following fuel pattern:

Name of Fuel	Quantity
Diesel	20 Liter/hr.

2. Ambient air quality at the boundary of the industry/unit premises shall be monitored and reported to the Board regularly on quarterly basis: The Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/09. Some of the parameters are as follows:

- a. Particulate Matter (less than 10 micron) - 100 µg/m³ (PM10 µg/m³ 24 hrs. basis)
- b. Particulate Matter (less than 2.5 micron) - 60 µg/m³ (PM2.5 µg/m³ 24 hrs. basis)
- c. Sulphur Dioxide [SO₂] (24 hrs. Basis) - 80 µg/m³
- d. Nitrogen Oxides [NO_x] (24 hrs. Basis) - 80 µg/m³
- e. Carbon Monoxide [CO] (8 hrs. Basis) - 2000 µg/m³

3. The industry shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.
4. The industry/unit shall make the necessary arrangements for control of the fugitive emission from any source of emission/section/activities.
5. All other fugitive emission sources such as leakages, seepages, spillages etc shall be ensured to be plugged or sealed or made airtight to avoid the public nuisance.
6. The industry/ unit shall ensure all necessary arrangements for control of odour nuisance from the industrial activities or process within premises
7. All the internal roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements. Good housekeeping practices shall be adopted to avoid leakages, seepages, spillages etc.
8. Industry shall take effective steps for extensive tree plantation atleast in 03 rows of the local tree species with minimum spacing of 4X4 meter within or around the industry/unit premises for general improvement of environmental conditions and as stated in additional condition

Consent No:BAWH-46295, Validity:31/03/2020, Outward No:15299,28/06/2017, TPAV # YCBYUP96Y7



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

CONDITIONS PERTAINING TO THE HAZARDOUS AND OTHER WASTES (MANAGEMENT AND TRANSBOUNDARY MOVEMENT) RULES, 2016:-

[See rule 6 (2)]

FORM-2

FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER AND OPERATORS OF DISPOSAL FACILITIES

1. The operator of facility, i.e. occupier People's General Hospital (Pvt) Ltd., (Hi-Tech Division), Bhopal is hereby granted the authorization to operate a facility for collection, reception, treatment, storage, transport and dispose of Hazardous waste to be generated and disposed to the tune mentioned in table below on the premises situated at 06, Malviya Nagar, Bhopal 06, Malviya Nagar, Bhopal, Bhopal, Hujur, Bhopal, Phone No.
2. The authorization granted to operate a facility for generation, collection, reception, storage and transport of hazardous waste

Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity (ton/annum)
Used or Spent Oil(5.1)	COL,RRE	0.030-M.T

3. The waste specified under hazardous waste stream as mentioned above shall be stored as per MoEF and CPCB guidelines issued time to time and disposed off as indicated in above table at SL. No. 3 as Hazardous and other Waste (Management & Transboundary movement) Rules, 2016.
4. The authorization shall be in force for a period of Five years from
5. The industry shall take all the steps wherever required, for reduction of the waste generated or for recycling or reuse.
6. The industry shall display the information on hazardous waste generated on notice board of size 6' x 4' (in Hindi & English) outside the unit main gate along with quantity and nature of hazardous chemicals being handled in the plant, including wastewater, air emission and hazardous wastes.
7. The authorisation is subject to the terms & conditions as given below and to such conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986. Violation of any of the conditions shall be liable for legal action as per provisions under Environment (Protection) Act, 1986.

Terms and Condition Of Authorisation

1. The authorisation shall comply with the provision of Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced during inspection on the request of the inspecting officer authorized by the State Pollution Control Board.
3. The authorized person shall not rent, lend, sale, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the State Pollution Control Board.
4. If the industry comes in such a category where insurance under Public Liability Insurance Act, is necessary, the industry shall comply with provision and submit a copy of the policy to the Board.
5. Any unauthorized change in production capacity, process, raw materials, personnel, equipments etc. as mentioned in the application by the person authorized shall constitute a breach of this authorisation.
6. The unit should maintain the records of hazardous wastes as per the Form-3 of rule 9 (1) and should online submit the annual return in Form No.4 as per the rule 9 (2) to this office on or before 31st January every year.
7. Details of any spillage of or any other hazardous waste should be submitted online in Form No. 43 to this office annually.



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

8. An on-site storage for waste for a maximum period of one year or a maximum quantity of 10 MT, whichever is less, should be provided and it shall be ensured that there is no leakage or seepage or spillage from surrounding walls or bottom. The site should be covered and properly protected to prevent the entry of rainwater in storage area.
9. It is the duty of authorized person to take prior permission of the M.P. Pollution Control Board to close down the facility.
10. The information regarding quantity of hazardous wastes generated and its analysis report should be sent to the Board online quarterly.
11. Hazardous Waste Storage Site & Danger signboard shall be provided with all safety devices at the storage site.
12. The authorized person should inform the name and address of the contact person responsible for hazardous waste management.
13. In case of importing Hazardous Waste, occupier shall apply to the M.P. Pollution Control Board, 180 days in advance in Form-6, for permission to import of the waste as per Rule 13 (i) of Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 as amended up to date.
14. In the event of any accident due to handling of hazardous wastes, the authorized person must inform immediately to the Regional Office & Head office of the board on Fax/telephone/email-it_mppcb@rediffmail.com about the incident and detail report should be sent in Form No.5 as per rule -10 of Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 as amended up to date.

Additional Haz condition:- (if any) :-

DG Sets - Air condition

- (1) The Hospital shall install appropriate air pollution control equipment/arrangement at all points of particulate matter emission and shall ensure that these are always kept running & in good working order all the time. In case of any failure it shall be immediately rectified or same alternative arrangement shall be made.
- (2) Noise from D.G.Set shall be controlled by providing an acoustic enclosure & a proper exhaust muffler.
- (3) The acoustic enclosure and exhaust muffler shall be designed for minimum 25 dB(A) Insertion Loss or for meeting the ambient noise standards, whichever is on the higher side.
- (4) Installation of D.G.Set must be strictly in compliance with the recommendation of the D.G.Set manufacturer.
- (5) A proper routine and preventive maintenance procedure for the D.G.Set should be set and followed in consultation with the D.G.Set manufacturer which will help to prevent noise levels of the D.G.Set from deteriorating with use.
- (6) The height of the vent connected to D.G.Set shall not be less than building height + 1.5 meters.
- (7) The ambient air quality level with respect to noise shall be less than 55 dB(A) Leq. and 45 dB(A) Leq., respectively in day and night time within the premises.
- (8) The maximum permissible sound pressure level for D.G. Sets shall be 75 dB(A) at 1 meter from the enclosure surface.
- (9) The D.G. Sets must affix a conformance label containing the required information recommended in Environment (Protection) Rules, 1986.
- (10) The D.G. Sets shall strictly comply the following emission limits -

S.NO. PARAMETERS & EMISSION LIMITS

1	PM	- 0.30	g / kw-hr
2	NOx	- 9.20	g / kw-hr
3	HC	- 1.30	g / kw-hr
4	CO	- 3.50	g / kw-hr



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

GENERAL CONDITIONS:

1. The non hazardous solid waste arresting in the industry/unit/unit premises sweeping, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permission from civic authorities for disposal to dumping site. If required.

Non Hazardous Solid wastes:-

Type of waste	Quantity	Disposal
Scrap/ Plastic packing material wood, card board, gunny bogs etc		Sale to authorized party/As Per CPCB. MoEF Guide lines / Others.

2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:

- To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.
- To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.
- To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
- To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
- To sample at reasonable times any discharge or pollutants.

3. This consent/authorisation is transferable, in case of change of ownership/management and addresses of new Owner/partner/Directors/proprietor should immediately apply for the same.

4. The issuance of this Consent does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.

5. Industry shall install separate electric metering arrangement for running of pollution control devices and this arrangement shall be made in such fashion that any non functioning of pollution control devices shall immediately stop electric supply to the production and shall remain tripped till such time unless the pollution control device/devices are made functional. The record of electricity consumption for running of pollution control equipment shall be maintained and submitted to the Board every month

6. This consent is granted in respect of Water pollution control Act 1974 or Air Pollution Control act, 1981 or Authorization under the provisions of Hazardous and other Waste (Management & Transboundary movement) Rules 2016 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.

7. Balance consent/authorisation fee, if any shall be recoverable by the Board even at a later date.

8. The applicant shall submit such information, forms and fees as required by the board not later than 180 day prior to the date of expiration of this consent/authorisation

9. The industry/unit shall establish a separate environmental cell, headed by senior officer of the unit for reporting the environmental compliances. The industry/ Unit shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.

10. Knowingly making any false statement for obtaining consent or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the section 42(g) of the Water Act or section 38 (g) of the Air Act.

11. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following :

- Violation of any terms and conditions of this Consent.
- Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
- A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.

12. On violation of any of the above-mentioned conditions the consent granted will automatically be taken as canceled and necessary action will be initiated against the industry.



Consent Order

M.P. Pollution Control Board
E-5, Arera Colony
Paryavaran Parisar, Bhopal - 16 MP
Tele : 0755-2466191, Fax-0755-2463742

Consent/authorization as required under the Water (Prevention & Control of Pollution) Act,1974 , The Air (Prevention & Control of Pollution) Act,1981 and the Authorization under Hazardous Waste (Management handling & Transboundary movement) Amended Rule, 2016 is granted to your industry subject to fulfillment of all the conditions mentioned above. For renewal purpose you shall have to make an application to this Board through XGN at least Six months before the date of expiry of this consent/authorisation. The applicant without valid consent (for operation) of the Board shall not bring in to use any outlet for the discharge of effluent and gaseous emission.

For and on behalf of
M.P. Pollution Control Board

(Regional Officer)

AT N e *Seeding from UIDAI* **Sign** *SERVER* DEPARTMENT , NULL , OPP. ADITYA HOSPITAL , JABALPUR - 482001 , MADHYA PRADESH
Digitally Sign with Aadhaar
Regional Officer
e-Signed On 28/06/2017
(Organic Authentication on AADHAR from UIDAI Server)
TPAV # YCBYUP96Y7

Consent No:BAWH-46295,Validity:31/03/2020, Outward No:15299,28/06/2017, TPAV # YCBYUP96Y7