



## Consent Order

M.P. Pollution Control Board  
E-5, Arera Colony  
Paryavaran Parisar, Bhopal - 16 MP  
Tele : 0755-2466191, Fax-0755-2463742

RED-MEDIUM

CCA-Validity  
W/A-31/03/2027  
BMW-31/03/2027

CONSENT NO: \*\*\*

PCB ID: 115114

Outward No:115511,23/06/2022

Consent No:AWB-55886

To,  
The Occupier,  
M/s. People's College of Dental Science & Research Centre,  
Karond-Bhanpur Bypass Road, Bhopal,  
Tal : Hujur, Dist : Bhopal, (M.P.) - 462038

**Subject:** Renewal of Consent to Operate under section 25 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Bio- Medical Waste Management Rules, 2016.

**Ref:** Your Consent to Operate Application Receipt No. 1142612 Dt. 09/04/2022 and last communication received on Dt. 11/05/2022

With reference to your above application for consent to operate has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board has agreed to grant consent & BMW authorisation **up to 31/03/2027**, subject to the fulfillment of the terms & conditions incorporated in the Consent No:AWHB-54147 issued vide Outward No:113406 dated14/09/2021 and as enclosed with this letter.

### **SUBJECT TO THE FOLLOWING CONDITIONS :-**

- a. Location: Karond-Bhanpur Bypass Road, Bhopal, Tal : Hujur, Dist : Bhopal, (M.P.) - 462038
- b. The capital investment : Rs.13.46 Crore
- c. Product & Production Capacity:

Product	CCA Quantity
Hospital Services	Chairs/Bed Capacity-250 Nos. (Two Hundred Fifty Beds)
Captive power generation 200x2 KVA	400 KVA

Note:- For any change in above Hospital shall obtain fresh consent from the board.

The Validity of the consent & BMW authorisation is up to **31/03/2027**, and has to be renewed before its expiry. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

### **Enclosures:-**

- \* Conditions under Water Act
- \* Conditions under Air Act
- \* Conditions under BMW Rules
- \* General conditions



(Organic Authentication on AADHAR from UIDAI Server)  
TPAV # L361QKYU57

*Achyut mishra*

ACHYUT ANAND MISHRA  
Member Secretary



## Consent Order

M.P. Pollution Control Board  
E-5, Arera Colony  
Paryavaran Parisar, Bhopal - 16 MP  
Tele : 0755-2466191, Fax-0755-2463742

### **CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-**

1. The daily quantity of trade effluent generation shall **not exceed 8.000 KL/day**, and the daily quantity of sewage generation shall **not exceed 35.000 KL/day**.

#### **2. Trade Effluent Treatment:-**

The applicant shall maintain the effluent treatment system so as to achieve following standards-

pH	Between	5.5 – 9.0	TDS	Not exceed	2100 mg/l.
Suspended Solids	Not exceed	100 mg/l.	Chlorides	Not exceed	1000 mg/l.
BOD <sub>3</sub> Days 27 °C	Not exceed	30 mg/l.	<b>Bioassay</b>	<b>90 % survival of fish after 96 hour in 100% effluent.</b>	
COD	Not exceed	250 mg/l.			
Oil and grease	Not exceed	10 mg/l.			

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

**3. Sewage Treatment :-** The applicant shall maintain the sewage treatment system so as to achieve following standards-

pH	Between	6.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD <sub>3</sub> Days 27°C	Not exceed	30 mg/l.
COD	Not exceed	50 mg/l.
Oil and grease	Not exceed	10 mg/l.
Fecal Coliform (FC) MPN/100ml	Not exceed	1000

Sr	Water Code (Qty in klpd - Kilo Ltr per Day)	WC : 50.000	WWG : 43.000	Water Source
1	Domestic Purpose	40.000	35.000	Borewell
2	Others activities	10.000	8.000	Borewell

4. The effluent/sewage shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of Hospital/unit premises.

5. Any change in capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

#### **6. Reporting of Monitoring Results:-**

Monitoring Information required by this Consent shall be summarized and reported by submitting a annual Discharge Monitoring report on line through the link “Periodic Compliances” provided on XGN.

#### **7. Prohibition of bypass system of treatment facilities-**

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent is prohibited except:

- where unavoidable to prevent loss of life or severe property damage, or
- Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

8. Hospital management shall submit the information online through XGN in reference to compliance of consent conditions.

**Consent No:AWB-55886**



## Consent Order

M.P. Pollution Control Board  
E-5, Arera Colony  
Paryavaran Parisar, Bhopal - 16 MP  
Tele : 0755-2466191, Fax-0755-2463742

### **CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-**

1. The applicant shall maintain the air pollution control system consisting of control equipments so as to achieve the level of pollutants to the following standards:-

Name of section	Capacity	Stack height (mtrs)	Fuel	Fuel Consumption	Control equipment installed	P.M, SOX, NOX(mg/NM3)
D.G. Sets	2X200 KVA	5	Diesel	2x20 Liter/Hr	Acoustic enclosure	As Per CPCB/ MoEFCC Guidelines

2. Ambient air quality at the boundary of the Hospital/unit premises shall be monitored and reported to the Board regularly on quarterly basis: The Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/09. Some of the parameters are as follows:

- Particulate Matter (less than 10 micron) - 100 µg/m<sup>3</sup> (PM10 µg/m<sup>3</sup> 24 hrs. basis)
- Particulate Matter (less than 2.5 micron) - 60 µg/m<sup>3</sup> (PM2.5 µg/m<sup>3</sup> 24 hrs. basis)
- Sulphur Dioxide [SO<sub>2</sub>] (24 hrs. Basis) - 80 µg/m<sup>3</sup>
- Nitrogen Oxides [NO<sub>x</sub>] (24 hrs. Basis) - 80 µg/m<sup>3</sup>
- Carbon Monoxide [CO] (8 hrs. Basis) - 2000 µg/m<sup>3</sup>

3. Hospital shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.

4. Hospital shall make the necessary arrangements for control of the fugitive emission from any source of emission/section/activities. All fugitive emission sources such as leakages, seepages, spillages etc shall be ensured to be plugged or sealed or made airtight to avoid the public nuisance

5. Hospital shall ensure all necessary arrangements for control of odour nuisance from the industrial activities or process within premises

6. All the internal roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements. Good housekeeping practices shall be adopted to avoid leakages, seepages, spillages etc.

7. Hospital shall take effective steps for extensive tree plantation of the local tree species within or around the Hospital premises for general improvement of environmental conditions.

**(Minimum number of plants to be planted by the unit:-750 )**

FORM -III

(See rule 10)

### **AUTHORISATION**

(Authorisation for operating a Facility For Generation, Collection, Reception, Treatment, Storage, Transport and Disposal of Biomedical wastes)

1. File number of authorisation and date of issue - **COW-1142612 Dt. 09/04/2022.**

2. **M/s. People's College of Dental Science & Research Centre**, an occupier of the Health Care Facility located at **Karond-Bhanpur Bypass Road, Bhopal, Tal : Hujur, Dist : Bhopal, (M.P.) - 462038** is hereby granted an authorisation for;

#### **Activity**

- ✓ Generation, Segregation
- ✓ Collection,
- ✓ Storage
- ✓ Packaging

3. **M/s. People's College of Dental Science & Research Centre**, is hereby authorized for handling of biomedical waste as per the capacity given below;

(i) Number of beds of HCF: **250**

(ii) Quantity of Biomedical waste handled, treated or disposed: -

Type of Waste Category	Quantity permitted for Handling (Kg/Day)
Yellow	<b>31.25</b>
Red	<b>12.50</b>
White (Translucent)	<b>6.25</b>
Blue	<b>10.00</b>

**Consent No:AWB-55886**



3. This authorisation shall be in force for a period up to **31/03/2027**.

4. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

### **Terms & Conditions of Authorization:-**

1. The person authorized shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorize shall constitute a breach of his authorization.
5. It is duty of the person authorized to take prior permission of the prescribe authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.

### **Biomedical Waste Authorization Conditions:**

1. The operator of facility shall submit a fresh application for renewal of authorization with requisite fees before 90 days of expiry of this authorization with compliance report of authorization conditions mentioned in original authorization letter and its subsequent renewal letters.

2. The amount of license and renewal fees for the authorization is payable (on-line) along with Form-II at the time of renewal. The Subsequent renewal for further period depends upon the fulfillment of conditions of authorization.

3. An applicant of HCF / Institution shall ensure compliances of various arrangements for proper Bio-Medical Waste Management with immediate effect as specified below :-

- (a) Category wise segregation of Bio-Medical Waste as specified in Schedule-I of the rule.
- (b) Provision of colour coded bins (for storage of BMW) as specified in Schedule-I.
- (c) Provisions of Waste sharp destruction treatment/disposal arrangements.
- (d) Safe transportation arrangement of wastes from various wards to treatment site.
- (e) Installation of treatment and disposal system of BMW as specified in Schedule-I of Bio-Medical Waste Management Rules, 2016.

4. B.M.W. generation units or Hospital should take all steps to ensure that such waste is handled without any adverse effect to human health and the environment. In case the institution is disposing off the Bio-Medical Waste through a 'common-facility', it will be responsibility of the institution to ensure its disposal as per provisions of BMW Rules.

5. B.M.W. shall be treated and disposed off in accordance with Schedule-I and with the standards prescribed in Schedule-II. For disposing of categorized BMW through deep burial and/or secured landfill, prior approval of the Board shall be obtained for such area of land.

6. B.M.W. shall not be mixed with other waste. B.M.W. shall be segregated into containers, bags at the point of generation in accordance with Schedule-I prior to its storage, transportation, treatment and disposal. The containers shall be labeled accordance to Schedule-IV.

7. If a container is transported from the premises where B.M.W. is generated to any waste treatment facility outside the premises the container shall, apart from the label prescribed in Schedule-IV, also carry information prescribed in Schedule-IV. Transportation of B.M.W. shall also follow the rules made under Motor Vehicles Act, 1988.

8. The authorization person shall ensure that the treated effluent shall confirm to the standards prescribed in Schedule-II of rules.. The authorized person shall submit waste water monitoring report to the prescribed authority twice in a year. The occupier of the facility shall fully utilize the treated effluent within their premises for plantation purposes.

9. The occupier of facility shall make proper arrangement for safe disposal of sludge from Effluent Treatment Plant (ETP) after due disinfection.

**Consent No:AWB-55886**



10. No untreated B.M.W. shall be kept stored beyond a period of 48 hours. Provided that, if for any reason it becomes necessary to store the waste beyond such period, an authorized person must take permission of prescribed authority and take measure to ensure that the waste does not adversely affect to the environment.
11. Mercury waste shall not be mixed with BMW, shall be collected, segregated & stored into separate containers and it shall be disposed off in accordance with provisions of the Hazardous and Other Waste (Management, and Transboundary Movement) Rules, 2016.
12. Establish a barcode system for bags or container containing BMW to sent out of the premises handed over to CBWTF.
13. Every occupier/operator shall submit an annual report to the prescribed authority in Form – IV by 30<sup>th</sup> June every year.
14. When any accident occurs at any institution or any other site where Bio-Medical waste is handled or during transportation of such waste, an authorized person shall report the accident information to prescribed authority.
15. Every authorized person shall maintain record related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these rules. All record shall be subject to inspection and verification by the prescribed authority at any time.
16. The authorized person of facility make above arrangements/improvement in facility as per given time frame failing which prosecution and punishment will be followed as per the provisions of Environmental (Protection) Act, 1986.
17. The prescribed authority may after giving reasonable opportunity of hearing refuse to grant authorization and reserve all the rights to amend/cancel/revoke the condition of this authorization in part or whole as and when deemed necessary.
18. The occupier of the hospital shall ensure to abide by the duties entrusted on the occupier as per Rule 4 of the BMW Rules, 2016. The occupier shall have to abide by the provisions of rule 8 regarding Segregation, Packaging, Transportation and Storage of BMW and ensure the onsite as well as offsite treatment and disposal through CBMWTF as prescribed in Rule 7, annual reporting as per Rule 13, maintenance of records as per rule 14 and accident reporting as per rule 15.
19. The occupier of the hospital shall be liable for all the damages caused to the environment or the public due to improper handling of the bio-medical waste and shall be liable for action under section 5 and 15 of the Environment (Protection) Act, 1986 as provide in rule 15 of the BMW Rules, 2016.
20. Hospital management shall develop its own website and display the relevant information for public.

### **GENERAL CONDITIONS:**

1. The non hazardous solid waste arresting in the Hospital sweeping, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permission from civic authorities for disposal to dumping site. If required.
2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:
  - a. To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.
  - b. To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.
  - c. To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
  - d. To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
  - e. To sample at reasonable times any discharge or pollutants.
3. This consent / authorisation is transferable in nature, in case of any change in ownership / management, the new owner / partner / directors / proprietor shall immediately apply for the consent with new requisite information.
4. The issuance of this Consent does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.



## Consent Order

**M.P. Pollution Control Board**  
**E-5, Arera Colony**  
**Paryavaran Parisar, Bhopal - 16 MP**  
**Tele : 0755-2466191, Fax-0755-2463742**

5. This consent is granted in respect of Water pollution control Act 1974, Air Pollution Control act, 1981 and Bio- Medical Waste Management Rules, 2016 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.
6. Balance consent/authorisation fee, if any shall be recoverable by the Board even at a later date.
7. The Hospital Management shall establish a separate environmental cell, headed by senior officer of the unit for reporting the environmental compliances. The Hospital/ Unit shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.
8. Knowingly making any false statement for obtaining consent or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the Water Act or the Air Act.
9. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following:
  - (a) Violation of any terms and conditions of this Consent.
  - (b) Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
  - (c) A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.
10. On violation of any of the above-mentioned conditions the consent granted will automatically be taken as canceled and necessary action will be initiated against the Hospital.

Consent as required under the Water (Prevention & Control of Pollution) Act, 1974, The Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Bio- Medical Waste Management Rules, 2016 is granted to your Hospital subject to fulfillment of all the conditions mentioned above. For renewal purpose you shall have to make an application to this Board through XGN at least Six months before the date of expiry of this consent/authorisation. The applicant without valid consent (for operation) of the Board shall not bring in to use any outlet for the discharge of effluent and gaseous emission.

For and on behalf of  
M.P. Pollution Control Board



(Organic Authentication on AADHAR from UIDAI Server)  
TPAV # L361QKYU57

**ACHYUT ANAND MISHRA**  
**Member Secretary**

**Consent No:AWB-55886**